



Certificate number: 2106723

Date issued 8th June 2021

Date expired 7th June 2026 Original/Amendment *Original*

Kiwa UK Regulation 4 (KUKreg4) Approval

ATS3 – Without Production Surveillance

Issued by Kiwa Watertec (UK)

Evaluation Guideline: Kiwa UK – EG004
Reference Standards: Regulators Specification
Model Designations: see Appendix

Manufacturer: Socla SAS.

Kiwa Watertec declares that legitimate confidence exists in the products specified in this certificate and supplied by the above organisation be relied on to comply with the above Evaluation Guideline and Standards, and can be marked with the KUKreg4mark.

The intended use of this certificate is for compliance with Regulation 4(1)a of the Water Supply (Water Fittings) Regulations 1999 England & Wales; 2009 Northern Ireland and 2014 Byelaws Scotland

This certificate has been issued in accordance with the Kiwa regulations for product certification

Signed on behalf of Kiwa Watertec

David Jay,
Business Unit Manager – Authorised Signatory
Kiwa Watertec

CERTIFICATE

380170061

Kiwa Watertec
(A Trading Division of Kiwa Ltd)
26A Rassau Industrial Estate
Ebbw Vale
Gwent
NP23 5SD
United Kingdom
T +44 (0)1495 308185
uk.water@kiwa.com
www.kiwa.co.uk

Certificate issued to:
SOCLA SAS
365, rue du Lieutenant Putier
71530 Virey Le Grand



UK Approval Certificate (page 2 of 2)

Appendix to Certificate 2106723

The following products are covered by this certificate -

<p>PRODUCT DESCRIPTION 'Sylax' range of wafer (centering lug), double flanged and lugged (tapped lugs) butterfly valves with epoxy coated cast or ductile iron bodies and either ductile iron (epoxy coated) or stainless-steel discs. ATS3 – Without Production Surveillance.</p>
<p>MODEL(S) Sylax range: Wafer: DN25 – DN1000; Double flanged: DN150 – DN1000; Lugged: DN32/40 – DN600.</p>
<p>SIZE: See model.</p>
<p>SCOPE: Manufacturer recommended maximum working pressure: Ductile iron / stainless steel discs: DN25 – 10 bar, DN32/40 up to DN1000 – 16 bar. Hygienic Purposes: Non-metallic materials suitable for continuous use up to 85°C. Above ground use only.</p>
<p>MATERIALS Non-metallic materials assessed (BS6920) to point of discharge.</p>
<p>BACKFLOW PROTECTION NOTES N/A.</p>
<p>MARKING Data plate on body with manufacturers name, manufacturing date and other technical information.</p>
<p>ADDITIONAL NOTES All water contact & exposed components satisfy opacity requirements.</p>

Extra Notes