

Product certificate
K47483/03

Issued 2015-05-01

Replaces K47483/02

Page 1 of 2

Water pressure reducing valves

STATEMENT BY KIWA


With this product certificate, issued in accordance with the Kiwa Regulations for Product Certification, Kiwa declares that legitimate confidence exists that the products supplied by

Watts Industries France

as specified in this product certificate and marked with the Kiwa®-mark in the manner as indicated in this product certificate may, on delivery, be relied upon to comply with Kiwa evaluation guideline BRL-K14004 "Water pressure reducing valves"

which covers the requirements of

NEN-EN 1567: "Building valves - Water pressure reducing valves and combination water pressure reducing valves - requirements and tests".



Bouke Meekma
Kiwa

Publication of the certificate is allowed.

Advice: consult www.kiwa.nl in order to ensure that this certificate is still valid.

Kiwa Nederland B.V.
Sir Winston Churchillaan 273
P.O. Box 70
2280 AB RIJSWIJK
The Netherlands

Tel. +31 70 414 44 00
Fax +31 70 414 44 20
info@kiwa.nl
www.kiwa.nl

Supplier
Watts Industries France
Route Nationale 100
80132 HAUTVILLERS-
OUVILLE
France
Tel. +33 322247011
Fax +33 322311701

www.wattsindustries.com

Certification process
consists of initial and
regular assessment of:

- quality system
- product

Water pressure reducing valves

Technical specification

The products mentioned below belong to this certificate

Redufix

- DN 15, adjustable
 - DN 15, non adjustable
-

Application and use

Water reducing valves and combination water pressure reducing valves of nominal size DN 8 to DN 100 for inlet pressures that does not exceed 1.600 kPa and a temperature that does not exceed 30°C for cold water application and 80°C for hot water application.

Remark

The specified products were not yet assessed for compliance with all aspects as inserted in the "Drinkwaterbesluit" and outlined in the "Regeling materialen en chemicaliën drink- en warm tapwatervoorziening" (Regulations Materials and Chemicals for Drinking Water Supplies -implemented 19 July 2011) as specified in the clause 4.2.1 of the Kiwa evaluation guideline BRL-K14004/01.

Marking

The products are marked with the wordmark "KIWA".

Place of the mark:

- Kiwa on the body.

Compulsory specifications:

- name or logo of the manufacturer;
- nominal size (DN);
- set pressure for non adjustable valves;
- an arrow for the direction of flow;
- outlet pressure;
- Dezincification resistance "DR".

Method of marking:

- non-erasable;
- visible after installation.

RECOMMENDATIONS FOR CUSTOMERS

Check at the time of delivery whether:

- the supplier has delivered in accordance with the agreement;
- the mark and the marking method are correct;
- the products show no visible defects as a result of transport etc.

If you should reject a product on the basis of the above, please contact:

- Watts Industries France
- and, if necessary,
- Kiwa Nederland B.V.

Consult the supplier's processing guidelines for the proper storage and transport methods.